

# Package ‘createLogicalPCM’

January 6, 2023

**Type** Package

**Title** Create Logical Pairwise Comparison Matrix for the Analytic Hierarchy Process

**Version** 0.1.0

**Description** Create Pairwise Comparison Matrices for use in the Analytic Hierarchy Process. The Pairwise Comparison Matrix created will be a logical matrix, which unlike a random comparison matrix, is similar to what a rational decision maker would create on the basis of a preference vector for the alternatives considered.

**License** GPL-3

**Encoding** UTF-8

**RoxygenNote** 7.1.2

**Suggests** knitr, rmarkdown, testthat (>= 3.0.0)

**Language** en-US

**VignetteBuilder** knitr

**Config/testthat/edition** 3

**NeedsCompilation** no

**Author** Amarnath Bose [aut, cre]

**Maintainer** Amarnath Bose <amarnath.bose@gmail.com>

**Repository** CRAN

**Date/Publication** 2023-01-06 11:40:06 UTC

## R topics documented:

createLogicalPCM . . . . .	2
<b>Index</b>	<b>3</b>

---

createLogicalPCM	<i>Simulated Logical Pairwise Comparison Matrix for Analytic Hierarchy Process</i>
------------------	--

---

### Description

Creates a logical pairwise comparison matrix for the Analytic Hierarchy Process such as would be created by a rational decision maker based on a relative vector of preferences for the alternatives involved. Choices of the pairwise comparison ratios are from the Fundamental Scale and simulate a reasonable degree of error. The algorithm is modified from a paper by Bose, A [2022], doi: [10.1002/mcda.1784](https://doi.org/10.1002/mcda.1784)

### Usage

```
createLogicalPCM(ord, prefVec = rep(NA, ord))
```

### Arguments

ord	The desired order of the Pairwise Comparison Matrix
prefVec	The preference vector of length as the order of the input matrix ' @return A Logical Pairwise Comparison Matrix

### Examples

```
lPCM <- createLogicalPCM(3,c(1,2,3));  
lPCM <- createLogicalPCM(5,c(0.25,0.4,0.1,0.05,0.2));
```

# Index

`createLogicalPCM`, 2