

# Package ‘dtr2’

November 14, 2023

**Title** Manipulate Date, POSIXct and hms Vectors

**Version** 0.5.0

**Description** Manipulates date ('Date'), date time ('POSIXct') and time ('hms') vectors. Date/times are considered discrete and are floored whenever encountered. Times are wrapped and time zones are maintained unless explicitly altered by the user.

**License** MIT + file LICENSE

**URL** <https://github.com/poissonconsulting/dtr2>

**BugReports** <https://github.com/poissonconsulting/dtr2/issues>

**Depends** R (>= 3.4)

**Imports** chk (>= 0.9.1), hms, lifecycle

**Suggests** rlang, spelling, testthat (>= 3.0.0)

**RdMacros** lifecycle

**Config/testthat/edition** 3

**Encoding** UTF-8

**Language** en-US

**RoxygenNote** 7.2.3

**NeedsCompilation** no

**Author** Joe Thorley [aut] (<<https://orcid.org/0000-0002-7683-4592>>),  
Ayla Pearson [aut, cre] (<<https://orcid.org/0000-0001-7388-1222>>),  
Poisson Consulting [cph, fnd]

**Maintainer** Ayla Pearson <[ayla@poissonconsulting.ca](mailto:ayla@poissonconsulting.ca)>

**Repository** CRAN

**Date/Publication** 2023-11-14 15:50:02 UTC

## R topics documented:

|                    |   |
|--------------------|---|
| check_tz . . . . . | 3 |
| chk_time . . . . . | 4 |

|                         |    |
|-------------------------|----|
| dtc                     | 4  |
| dtc_add_units           | 5  |
| dtc_adjust_tz           | 6  |
| dtc_adjust_units        | 7  |
| dtc_aggregate           | 7  |
| dtc_complete            | 8  |
| dtc_completed           | 10 |
| dtc_date                | 11 |
| dtc_date_add_time       | 13 |
| dtc_date_from_ints      | 13 |
| dtc_date_time           | 15 |
| dtc_date_time_from_ints | 16 |
| dtc_day                 | 17 |
| dtc_days_in_month       | 19 |
| dtc_days_in_year        | 20 |
| dtc_dayte               | 20 |
| dtc_dayte_time          | 21 |
| dtc_daytt               | 22 |
| dtc_day_decimal         | 23 |
| dtc_decade              | 24 |
| dtc_diff                | 24 |
| dtc_doy                 | 25 |
| dtc_doy_decimal         | 26 |
| dtc_doy_to_date         | 26 |
| dtc_excel_to_date       | 27 |
| dtc_excel_to_date_time  | 28 |
| dtc_feb29_to_28         | 29 |
| dtc_floor               | 29 |
| dtc_floored             | 30 |
| dtc_hours               | 31 |
| dtc_hour_decimal        | 33 |
| dtc_is_date             | 34 |
| dtc_is_date_time        | 34 |
| dtc_is_dtc              | 35 |
| dtc_leap_year           | 35 |
| dtc_minutes             | 36 |
| dtc_minute_decimal      | 37 |
| dtc_months              | 38 |
| dtc_month_decimal       | 40 |
| dtc_season              | 41 |
| dtc_seconds             | 42 |
| dtc_seq                 | 43 |
| dtc_set_time            | 44 |
| dtc_set_tz              | 46 |
| dtc_study_year          | 47 |
| dtc_subtract_units      | 48 |
| dtc_sys_date            | 49 |
| dtc_sys_date_time       | 49 |

`check_tz` 3

|   |    |
|---|----|
| <code>dtc_sys_time</code> . . . . .       | 50 |
| <code>dtc_sys_tz</code> . . . . .         | 51 |
| <code>dtc_time_from_ints</code> . . . . . | 52 |
| <code>dtc_tz</code> . . . . .             | 53 |
| <code>dtc_units</code> . . . . .          | 54 |
| <code>dtc_units_per_unit</code> . . . . . | 55 |
| <code>dtc_wday</code> . . . . .           | 55 |
| <code>dtc_wrap</code> . . . . .           | 56 |
| <code>dtc_years</code> . . . . .          | 57 |
| <code>dtc_year_decimal</code> . . . . .   | 58 |
| <code>is_date_time</code> . . . . .       | 59 |
| <code>NA_Date_</code> . . . . .           | 60 |
| <code>NA_hms_</code> . . . . .            | 60 |
| <code>NA_POSIXct_</code> . . . . .        | 60 |
| <code>vld_time</code> . . . . .           | 61 |

**Index** 62

---

`check_tz` *Check Time Zone*

---

**Description**

Checks an object's time zone as returned by `dtc_tz()`.

**Usage**

```
check_tz(x, tz = dtc_tz(x), x_name = substitute(x), error = TRUE)
```

**Arguments**

|                     |  |
|---------------------|--|
| <code>x</code>      | The object to check.   |
| <code>tz</code>     | A string of the time zone to check that <code>x</code> 's matches.   |
| <code>x_name</code> | A string of the name of the object.  |
| <code>error</code>  | A flag indicating whether to throw an informative error or immediately generate an informative message if the check fails. |

**Value**

An invisible copy of `x` (if it doesn't throw an error).

**See Also**

[dtc\\_tz\(\)](#)  
Other check: [chk\\_time\(\)](#)

**Examples**

```
check_tz(Sys.time(), "UTC", error = FALSE)
```

chk\_time                      *Check Time*

---

### Description

Checks if scalar hms object using [vld\\_time\(\)](#).

### Usage

```
chk_time(x, x_name = NULL)
```

### Arguments

x                              The object to check.  
x\_name                        A string of the name of object x or NULL.

### Value

NULL, invisibly. Called for the side effect of throwing an error if the condition is not met.

### See Also

Other check: [check\\_tz\(\)](#)

### Examples

```
chk_time(hms::as_hms("10:00:10"))  
try(chk_time(1))
```

---

dtt                              *dtt Object*

---

### Description

A dtt (short for date time) object is an object of class Date (date), POSIXct (datetime) or hms (time).

---

|               |                       |
|---------------|-----------------------|
| dtc_add_units | <i>Add Time Units</i> |
|---------------|-----------------------|

---

### Description

Add time units to a date time vector.

### Usage

```
dtc_add_units(x, units, n = 1L)
```

```
dtc_add_years(x, n = 1L, ...)
```

```
dtc_add_months(x, n = 1L, ...)
```

```
dtc_add_days(x, n = 1L, ...)
```

```
dtc_add_hours(x, n = 1L, ...)
```

```
dtc_add_minutes(x, n = 1L, ...)
```

```
dtc_add_seconds(x, n = 1L, ...)
```

### Arguments

|       |  |
|-------|--|
| x     | A date/time vector.  |
| units | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| n     | An integer of the number of units.   |
| ...   | Unused.  |

### Value

The modified date time vector.

### See Also

[dtc\\_subtract\\_units\(\)](#)

Other add: [dtc\\_date\\_add\\_time\(\)](#)

### Examples

```
dtc_add_units(as.Date("1999-12-31"), "days")
```

---

|               |                         |
|---------------|-------------------------|
| dtt_adjust_tz | <i>Adjust Time Zone</i> |
|---------------|-------------------------|

---

### Description

Adjusts the time zone so that clock (but not the actual) time is altered for a date time vector. Equivalent to `lubridate::with_tz()`.

### Usage

```
dtt_adjust_tz(x, tz = dtt_default_tz(), ...)
```

```
## S3 method for class 'POSIXct'  
dtt_adjust_tz(x, tz = dtt_default_tz(), ...)
```

### Arguments

|     |                            |
|-----|----------------------------|
| x   | A POSIXct vector.          |
| tz  | A string of the time zone. |
| ... | Unused.                    |

### Value

The date time vector with the new time zone and time.

### Methods (by class)

- `dtt_adjust_tz(POSIXct)`: Adjust the time zone for a POSIXct vector

### See Also

[dtt\\_set\\_tz\(\)](#)

Other tz: [dtt\\_set\\_tz\(\)](#), [dtt\\_sys\\_tz\(\)](#), [dtt\\_tz\(\)](#)

### Examples

```
dtt_adjust_tz(as.POSIXct("1970-01-01", tz = "Etc/GMT+8"), tz = "UTC")
```

---

|                  |                     |
|------------------|---------------------|
| dtc_adjust_units | <i>Adjust Units</i> |
|------------------|---------------------|

---

**Description**

Adjust Units

**Usage**

```
dtc_adjust_units(x, from = "seconds", to = "seconds")
```

**Arguments**

|      |                                 |
|------|---------------------------------|
| x    | An integer or numeric vector    |
| from | A string of the original units. |
| to   | A string of the new units.      |

**Value**

A numeric vector.

**See Also**

[dtc\\_add\\_units\(\)](#)

[dtc\\_subtract\\_units\(\)](#)

Other units: [dtc\\_units\\_per\\_unit\(\)](#), [dtc\\_units\(\)](#)

**Examples**

```
dtc_adjust_units(60, to = "minutes")
```

---

|               |                            |
|---------------|----------------------------|
| dtc_aggregate | <i>Aggregate Date/Time</i> |
|---------------|----------------------------|

---

**Description**

Aggregates a date/time vector

**Usage**

```

dtt_aggregate(x, units, ...)

## S3 method for class 'Date'
dtt_aggregate(x, units = "days", ...)

## S3 method for class 'POSIXct'
dtt_aggregate(x, units = "seconds", ...)

## S3 method for class 'hms'
dtt_aggregate(x, units = "seconds", ...)

```

**Arguments**

|       |  |
|-------|--|
| x     | A date/time vector.  |
| units | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| ...   | Unused.  |

**Details**

The possible units values are 'seconds', 'minutes', 'hours', 'days', 'months' or 'years'.

**Value**

The floored date/time vector.

**Methods (by class)**

- `dtt_aggregate(Date)`: Aggregate a Date vector
- `dtt_aggregate(POSIXct)`: Aggregate a POSIXct vector
- `dtt_aggregate(hms)`: Aggregate a hms vector

**Examples**

```
dtt_aggregate(as.Date(c("1992-01-01", "1991-02-02", "1991-03-03")), "years")
```

---

dtt\_complete

*Complete*


---

**Description**

Completes date/time vector.



**Usage**

```
dtc_complete(x, ...)  
  
## S3 method for class 'Date'  
dtc_complete(  
  x,  
  from = min(x),  
  to = max(x),  
  units = "days",  
  unique = TRUE,  
  sort = TRUE,  
  ...  
)  
  
## S3 method for class 'POSIXct'  
dtc_complete(  
  x,  
  from = min(x),  
  to = max(x),  
  units = "seconds",  
  unique = TRUE,  
  sort = TRUE,  
  ...  
)  
  
## S3 method for class 'hms'  
dtc_complete(  
  x,  
  from = min(x),  
  to = max(x),  
  units = "seconds",  
  unique = TRUE,  
  sort = TRUE,  
  ...  
)
```

**Arguments**

|        |  |
|--------|--|
| x      | A date/time vector.  |
| ...    | Unused.  |
| from   | A date/time scalar of the start.   |
| to     | A date/time scalar of the end.   |
| units  | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| unique | A flag specifying whether to only return unique values.  |
| sort   | A flag specifying whether to sort the vector.  |

**Value**

The completed date/time vector.

**Methods (by class)**

- `dtt_complete(Date)`: Complete a Date sequence vector
- `dtt_complete(POSIXct)`: Complete a POSIXct sequence vector
- `dtt_complete(hms)`: Complete a hms sequence vector

**See Also**

Other complete: [dtt\\_completed\(\)](#)

**Examples**

```
dtt_complete(as.Date(c("2001-01-01", "2001-01-03", "2001-01-01")))
```

---

|               |                  |
|---------------|------------------|
| dtt_completed | <i>Completed</i> |
|---------------|------------------|

---

**Description**

Tests whether a date time is complete.

**Usage**

```
dtt_completed(x, ...)

## S3 method for class 'Date'
dtt_completed(x, units = "days", unique = TRUE, sorted = TRUE, ...)

## S3 method for class 'POSIXct'
dtt_completed(x, units = "seconds", unique = TRUE, sorted = TRUE, ...)

## S3 method for class 'hms'
dtt_completed(x, units = "seconds", unique = TRUE, sorted = TRUE, ...)
```

**Arguments**

|                     |  |
|---------------------|--|
| <code>x</code>      | A date/time vector.  |
| <code>...</code>    | Unused.  |
| <code>units</code>  | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| <code>unique</code> | A flag indicating whether the values must be unique.   |
| <code>sorted</code> | A flag indicating whether the values must be sorted.   |

**Value**

A flag indicating whether complete.

**Methods (by class)**

- `dtt_completed(Date)`: Test if Date vector is complete
- `dtt_completed(POSIXct)`: Test if POSIXct vector is complete
- `dtt_completed(hms)`: Test if POSIXct vector is complete

**See Also**

Other complete: [dtt\\_complete\(\)](#)

---

dtt\_date

*Floor Date*


---

**Description**

Coerces vectors to floored Date vectors.

**Usage**

```
dtt_date(x, ...)

dtt_date(x) <- value

## S3 method for class 'integer'
dtt_date(x, origin = as.Date("1970-01-01"), ...)

## S3 method for class 'double'
dtt_date(x, origin = as.Date("1970-01-01"), ...)

## S3 method for class 'character'
dtt_date(x, ...)

## S3 method for class 'Date'
dtt_date(x, ...)

## S3 method for class 'POSIXct'
dtt_date(x, ...)

## S3 method for class 'hms'
dtt_date(x, ...)

## S3 replacement method for class 'Date'
dtt_date(x) <- value
```

```
## S3 replacement method for class 'POSIXct'
dtt_date(x) <- value

dtt_set_date(x, value)
```

### Arguments

|        |                |
|--------|----------------|
| x      | A vector.      |
| ...    | Unused.        |
| value  | A date vector. |
| origin | Origin date.   |

### Value

A floored Date vector.

### Methods (by class)

- `dtt_date(integer)`: Coerce integer vector to a floored Date vector
- `dtt_date(double)`: Coerce double vector to a floored Date vector
- `dtt_date(character)`: Coerce character vector to a floored Date vector
- `dtt_date(Date)`: Coerce Date vector to a floored Date vector
- `dtt_date(POSIXct)`: Coerce POSIXct vector to a floored Date vector
- `dtt_date(hms)`: Coerce hms vector to a floored Date vector

### Functions

- `dtt_date(Date) <- value`: Set date values for a Date vector
- `dtt_date(POSIXct) <- value`: Set date values for a POSIXct vector

### See Also

Other floor: [dtt\\_date\\_time\(\)](#), [dtt\\_excel\\_to\\_date\(\)](#), [dtt\\_floored\(\)](#), [dtt\\_floor\(\)](#), [dtt\\_set\\_time\(\)](#)

### Examples

```
dtt_date(1L)
dtt_date(-1)
dtt_date("2000-01-01")
as.Date(as.POSIXct("2019-05-01", tz = "Etc/GMT-8"))
dtt_date(as.POSIXct("2019-05-01", tz = "Etc/GMT-8"))
dtt_date(hms::as_hms("23:59:59"))
dtt_date(hms::as_hms("24:00:00"))
```

---

dtt\_date\_add\_time      *Add Time to Date*

---

**Description**

Adds times to Dates vector and sets timezone in a single function.

**Usage**

```
dtt_date_add_time(x, time, tz = dtt_default_tz())
```

**Arguments**

|      |                            |
|------|----------------------------|
| x    | A Date vector.             |
| time | A hms vector of the time.  |
| tz   | A string of the time zone. |

**Value**

A POSIXct vector.

**See Also**

Other add: [dtt\\_add\\_units\(\)](#)

**Examples**

```
dtt_date_add_time(  
  as.Date("2001-03-05"),  
  hms::as_hms("06:07:08"),  
  tz = "Etc/GMT+9"  
)
```

---

dtt\_date\_from\_ints      *Create Dates from Integers*

---

**Description**

Create date object from vectors of year, month and day values.

**Usage**

```
dtt_date_from_ints(year = 1972L, month = 1L, day = 1L)
```

**Arguments**

|       |   |
|-------|---|
| year  | An integer of the year. The default value is 1972.                            |
| month | An integer of the month between 1 and 12. The default value is the 1st month. |
| day   | An integer of the day between 1 and 31. The default value is the 1st day.     |

**Details**

This can be very helpful when needing to create a date column in a data frame from year, month and days columns. Vectors must all be the same length or be of length one.

**Value**

A floored Date vector.

**See Also**

Other creates: [dtt\\_date\\_time\\_from\\_ints\(\)](#), [dtt\\_time\\_from\\_ints\(\)](#)

**Examples**

```
dtt_date_from_ints(  
  year = 1991,  
  month = 07,  
  day = 23  
)  
  
dtt_date_from_ints(  
  year = c(1991, 1992, 1993),  
  month = c(07, 07, 07),  
  day = c(23, 24, 21)  
)  
  
year_vals <- c(1991, 1992, 1993)  
month_vals <- c(07, 07, 07)  
day_vals <- c(23, 24, 21)  
dtt_date_from_ints(year_vals, month_vals, day_vals)  
  
year_vals <- 2022  
month_vals <- 1:12  
day_vals <- 15  
dtt_date_from_ints(year_vals, month_vals, day_vals)  
  
dtt_date_from_ints(year_vals, month_vals)
```

---

|               |                        |
|---------------|------------------------|
| dtt_date_time | <i>Floor Date/Time</i> |
|---------------|------------------------|

---

**Description**

Coerces vectors to floored POSIXct vectors.

**Usage**

```
dtt_date_time(x, ...)

## S3 method for class 'integer'
dtt_date_time(x, tz = dtt_default_tz(), ...)

## S3 method for class 'double'
dtt_date_time(x, tz = dtt_default_tz(), ...)

## S3 method for class 'character'
dtt_date_time(x, tz = dtt_default_tz(), ...)

## S3 method for class 'Date'
dtt_date_time(x, time = hms::as_hms("00:00:00"), tz = dtt_default_tz(), ...)

## S3 method for class 'POSIXct'
dtt_date_time(x, tz = dtt_tz(x), ...)

## S3 method for class 'hms'
dtt_date_time(x, date = dtt_date("1970-01-01"), tz = dtt_default_tz(), ...)
```

**Arguments**

|      |                            |
|------|----------------------------|
| x    | A vector.                  |
| ...  | Unused.                    |
| tz   | A string of the time zone. |
| time | A hms vector of the time.  |
| date | A Date vector of the date. |

**Value**

A floored POSIXct vector.

**Methods (by class)**

- `dtt_date_time(integer)`: Coerce integer vector to a floored POSIXct vector
- `dtt_date_time(double)`: Coerce double vector to a floored POSIXct vector
- `dtt_date_time(character)`: Coerce character vector to a floored POSIXct vector

- `dtt_date_time(Date)`: Coerce Date vector to a floored POSIXct vector
- `dtt_date_time(POSIXct)`: Coerce POSIXct vector to a floored POSIXct vector
- `dtt_date_time(hms)`: Coerce hms vector to a floored POSIXct vector

### See Also

Other floor: `dtt_date()`, `dtt_excel_to_date()`, `dtt_floored()`, `dtt_floor()`, `dtt_set_time()`

### Examples

```
dtt_date_time(1L)
dtt_date_time(-1)
dtt_date_time(1, tz = "Etc/GMT+8")
dtt_date_time(as.Date("2000-01-02"))
dtt_date_time(as.Date("2000-01-02"), time = hms::as_hms("04:05:06"))
```

---

`dtt_date_time_from_ints`

*Create Date Times from Integers*

---

### Description

Create date object from vectors of year, month and day values.

### Usage

```
dtt_date_time_from_ints(
  year = 1972L,
  month = 1L,
  day = 1L,
  hour = 0L,
  minute = 0L,
  second = 0L,
  tz = dtt_default_tz()
)
```

### Arguments

|                     |   |
|---------------------|---|
| <code>year</code>   | An integer of the year. The default value is 1972.                            |
| <code>month</code>  | An integer of the month between 1 and 12. The default value is the 1st month. |
| <code>day</code>    | An integer of the day between 1 and 31. The default value is the 1st day.     |
| <code>hour</code>   | An integer of the hour between 0 and 23. The default value is hour zero.      |
| <code>minute</code> | An integer of the minute between 0 to 59. The default value is minute zero.   |
| <code>second</code> | An integer of the second between 0 to 59. The default value is second zero.   |
| <code>tz</code>     | A string of the time zone.  |



**Details**

This can be very helpful when needing to create a date time column in a data frame from year, month, day, hour, minute, and second columns. Vectors must all be the same length or be of length one.

**Value**

A POSIXct vector

**See Also**

Other creates: [dtc\\_date\\_from\\_ints\(\)](#), [dtc\\_time\\_from\\_ints\(\)](#)

**Examples**

```
dtc_date_time_from_ints(  
  year = 1991,  
  month = 07,  
  day = 23,  
  hour = 06,  
  minute = 25,  
  second = 0,  
  tz = "Etc/GMT+8"  
)  
  
dtc_date_time_from_ints(  
  year = c(1991, 1992, 1993),  
  month = c(07, 07, 07),  
  day = c(23, 24, 21),  
  hour = c(06, 05, 07),  
  minute = c(25, 24, 15),  
  second = c(0, 0, 0),  
  tz = "Etc/GMT+8"  
)  
  
year <- c(1991, 1992, 1993)  
month <- c(07, 08, 09)  
day <- c(23, 24, 21)  
hour <- c(06, 05, 07)  
minute <- c(25, 24, 15)  
second <- 30  
dtc_date_time_from_ints(year, month, day, hour, minute, second)  
  
dtc_date_time_from_ints(year, month, day)
```

**Description**

Gets and sets day values for date/time vectors.

**Usage**

```
dtt_day(x, ...)  
  
dtt_day(x) <- value  
  
## S3 method for class 'Date'  
dtt_day(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_day(x, ...)  
  
## S3 replacement method for class 'Date'  
dtt_day(x) <- value  
  
## S3 replacement method for class 'POSIXct'  
dtt_day(x) <- value  
  
dtt_days(x, ...)  
  
dtt_days(x) <- value  
  
dtt_set_day(x, value)
```

**Arguments**

|       |                                       |
|-------|---------------------------------------|
| x     | A date/time vector.                   |
| ...   | Unused.                               |
| value | A integer vector of the day value(s). |

**Value**

An integer vector (or the modified date/time vector).

**Methods (by class)**

- `dtt_day(Date)`: Get integer vector of day values for a Date vector
- `dtt_day(POSIXct)`: Get integer vector of day values for a POSIXct vector

**Functions**

- `dtt_day(Date) <- value`: Set day values for a Date vector
- `dtt_day(POSIXct) <- value`: Set day values for a POSIXct vector

**See Also**[dtt\\_day\\_decimal\(\)](#)Other set date: [dtt\\_months\(\)](#), [dtt\\_years\(\)](#)**Examples**

```
x <- as.Date("1990-01-02")
dtt_day(x)
dtt_day(x) <- 27L
x
```

```
x <- as.POSIXct("1990-01-02 23:40:51")
dtt_day(x)
dtt_day(x) <- 27L
x
```

---

|                   |                          |
|-------------------|--------------------------|
| dtt_days_in_month | <i>Days in the Month</i> |
|-------------------|--------------------------|

---

**Description**

Days in the Month

**Usage**`dtt_days_in_month(x)`**Arguments**

x                   A Date or POSIXct vector.

**Value**

A integer vector of 28 to 31 indicating the days in the month.

**See Also**Other days: [dtt\\_days\\_in\\_year\(\)](#), [dtt\\_doy\\_to\\_date\(\)](#), [dtt\\_doy\(\)](#)**Examples**

```
dtt_days_in_month(as.Date(c("2000-02-11", "2001-02-01")))
```

---

dtt\_days\_in\_year      *Days in the Year*

---

**Description**

Days in the Year

**Usage**

```
dtt_days_in_year(x)
```

**Arguments**

x                      A Date or POSIXct vector.

**Value**

A integer vector of 365 and 366 indicates the days of the year.

**See Also**

Other days: [dtt\\_days\\_in\\_month\(\)](#), [dtt\\_doy\\_to\\_date\(\)](#), [dtt\\_doy\(\)](#)

**Examples**

```
dtt_days_in_year(as.Date(c("2000-10-11", "2001-01-01")))
```

---

dtt\_dayte              *Dayte*

---

**Description**

Dayte

**Usage**

```
dtt_dayte(x, ...)
```

```
## S3 method for class 'Date'
dtt_dayte(x, start = 1L, ...)
```

```
## S3 method for class 'POSIXct'
dtt_dayte(x, start = 1L, ...)
```

**Arguments**

|       |  |
|-------|--|
| x     | A date/time vector.  |
| ...   | Unused.  |
| start | An integer scalar of the starting month or a Date scalar of the starting date. |

**Value**

A Date vector with the year set to year.

A Date vector of the daytes.

**Methods (by class)**

- `dtt_dayte(Date)`: Dayte a Date vector
- `dtt_dayte(POSIXct)`: Dayte a POSIXct vector

**See Also**

Other dayte: [dtt\\_dayte\\_time\(\)](#), [dtt\\_daytt\(\)](#)

**Examples**

```
dtt_dayte(as.Date(c("2001-01-01", "2015-12-13")))
```

---

|                |                   |
|----------------|-------------------|
| dtt_dayte_time | <i>Dayte Time</i> |
|----------------|-------------------|

---

**Description**

Dayte Time

**Usage**

```
dtt_dayte_time(x, ...)
```

```
## S3 method for class 'Date'
dtt_dayte_time(x, start = 1L, tz = dtt_default_tz(), ...)
```

```
## S3 method for class 'POSIXct'
dtt_dayte_time(x, start = 1L, ...)
```

**Arguments**

|       |  |
|-------|--|
| x     | A date/time vector.  |
| ...   | Unused.  |
| start | An integer scalar of the starting month or a Date scalar of the starting date. |
| tz    | A string of the time zone.   |

**Value**

A Date vector with the year set to year.

A POSIXct vector of the dayte times.

**Methods (by class)**

- `dtt_dayte_time(Date)`: Dayte Time a Date vector
- `dtt_dayte_time(POSIXct)`: Dayte Time a POSIXct vector

**See Also**

Other dayte: [dtt\\_dayte\(\)](#), [dtt\\_daytt\(\)](#)

**Examples**

```
dtt_dayte_time(
  as.POSIXct(
    c("2001-01-01 12:13:14", "2015-12-13"),
    tz = "Etc/GMT+10"
  )
)
```

---

dtt\_daytt

*Dayte Time*

---

**Description**

Dayte Time

**Usage**

```
dtt_daytt(x, start = 1L)
```

**Arguments**

`x`                    A Date or POSIXct vector.

`start`                An integer vector of the starting month or a Date vector of the starting date.

**Value**

A Date or POSIXct vector with the year for February 29th as 1972.

**See Also**

Other dayte: [dtt\\_dayte\\_time\(\)](#), [dtt\\_dayte\(\)](#)

---

|                 |                               |
|-----------------|-------------------------------|
| dtt_day_decimal | <i>Get Decimal Day Values</i> |
|-----------------|-------------------------------|

---

### Description

Gets decimal day values for date/time vectors.

### Usage

```
dtt_day_decimal(x, ...)  
  
## S3 method for class 'Date'  
dtt_day_decimal(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_day_decimal(x, ...)
```

### Arguments

|     |                     |
|-----|---------------------|
| x   | A date/time vector. |
| ... | Unused.             |

### Value

A numeric vector.

### Methods (by class)

- `dtt_day_decimal(Date)`: Get numeric vector of decimal year values for a Date vector
- `dtt_day_decimal(POSIXct)`: Get numeric vector of decimal year values for a POSIXct vector

### See Also

[dtt\\_day\(\)](#)

Other decimal: [dtt\\_doy\\_decimal\(\)](#), [dtt\\_hour\\_decimal\(\)](#), [dtt\\_minute\\_decimal\(\)](#), [dtt\\_month\\_decimal\(\)](#), [dtt\\_year\\_decimal\(\)](#)

### Examples

```
x <- as.POSIXct("1990-01-03 10:00:01")  
dtt_day_decimal(x)
```

---

dtt\_decade                      *Decade*

---

### Description

Decade

### Usage

```
dtt_decade(x, ...)
```

```
## S3 method for class 'Date'
```

```
dtt_decade(x, ...)
```

### Arguments

x                      A date/time vector.

...                    Unused.

### Value

A integer vector of the decade.

### Methods (by class)

- dtt\_decade(Date): Decade a Date vector

### Examples

```
dtt_decade(as.Date(c("2001-01-01", "2015-12-13")))
```

---

dtt\_diff                      *Time Difference*

---

### Description

Gets the time difference in secs, minutes, hours, days or weeks. Uses difftime() but floors x and y first after coercing to POSIXct and adjusts the timezone of y to match that of x.

### Usage

```
dtt_diff(x, y, units = "secs", as_difftime = FALSE)
```



**Arguments**

|             |  |
|-------------|--|
| x           | An object that can be coerced to a POSIXct using <code>dtt_date_time()</code> .                    |
| y           | An object that can be coerced to a POSIXct using <code>dtt_date_time()</code> .                    |
| units       | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| as_difftime | A flag specifying whether to return a difftime vector.   |

**Value**

A numeric vector of the time difference.

**Examples**

```
dtt_diff(
  as.Date(c("2001-01-02", "2000-12-31")),
  as.Date("2001-01-01"),
  "hours"
)
dtt_diff(as.Date("2001-01-02"), as.Date("2001-01-01"), "weeks")
```

---

|         |                        |
|---------|------------------------|
| dtt_doy | <i>Day of the Year</i> |
|---------|------------------------|

---

**Description**

Day of the Year

**Usage**

```
dtt_doy(x, ...)
```

**Arguments**

|     |                           |
|-----|---------------------------|
| x   | A Date or POSIXct vector. |
| ... | Unused.                   |

**Value**

A integer vector between 1 and 366 of the day of the year.

**See Also**

[dtt\\_doy\\_decimal\(\)](#)

Other days: [dtt\\_days\\_in\\_month\(\)](#), [dtt\\_days\\_in\\_year\(\)](#), [dtt\\_doy\\_to\\_date\(\)](#)

**Examples**

```
dtt_doy(Sys.Date())
```

---

dtt\_doy\_decimal      *Day of the Year Decimal*

---

**Description**

Day of the Year Decimal

**Usage**

```
dtt_doy_decimal(x, ...)
```

**Arguments**

x                    A Date or POSIXct vector.  
...                  Unused.

**Value**

A numeric vector between 0 and 366 of the day of the year.

**See Also**

[dtt\\_doy\(\)](#)

Other decimal: [dtt\\_day\\_decimal\(\)](#), [dtt\\_hour\\_decimal\(\)](#), [dtt\\_minute\\_decimal\(\)](#), [dtt\\_month\\_decimal\(\)](#), [dtt\\_year\\_decimal\(\)](#)

**Examples**

```
dtt_doy_decimal(Sys.Date())
```

---

dtt\_doy\_to\_date      *Day of the Year to Date*

---

**Description**

Day of the Year to Date

**Usage**

```
dtt_doy_to_date(x, year = 1972L)
```

**Arguments**

x                    An integer vector of the Day of the Year.  
year                 An integer scalar or vector of the year.

**Value**

A Date vector.

**See Also**

Other days: [dtt\\_days\\_in\\_month\(\)](#), [dtt\\_days\\_in\\_year\(\)](#), [dtt\\_doy\(\)](#)

**Examples**

```
dtt_doy_to_date(3)
```

---

|                   |                                      |
|-------------------|--------------------------------------|
| dtt_excel_to_date | <i>Convert Excel dates to dates.</i> |
|-------------------|--------------------------------------|

---

**Description**

Converts Excel dates encoded as serial numbers to date class.

**Usage**

```
dtt_excel_to_date(x, modern = TRUE, ...)
```

**Arguments**

|        |   |
|--------|---|
| x      | A vector of numbers to convert.                                       |
| modern | A flag specifying whether to use the modern or old Excel date system. |
| ...    | Unused.   |

**Details**

Defaults to the modern Excel date encoding system. Excel for Mac 2008 and earlier Mac versions of Excel use a different date system. If the date 2016-01-01 is represented by 42370, it's the modern system. If it's 40908, it's the old system.

**Value**

A floored Date vector.

**See Also**

Other floor: [dtt\\_date\\_time\(\)](#), [dtt\\_date\(\)](#), [dtt\\_floored\(\)](#), [dtt\\_floor\(\)](#), [dtt\\_set\\_time\(\)](#)

**Examples**

```
dtt_excel_to_date(42370)
dtt_excel_to_date(40908, modern = FALSE)
```

---

`dtt_excel_to_date_time`*Convert Excel date times to date times.*

---

## Description

Converts Excel serial date times to date time class.

## Usage

```
dtt_excel_to_date_time(x, tz = dtt_default_tz(), modern = TRUE, ...)
```

## Arguments

|                     |   |
|---------------------|---|
| <code>x</code>      | A vector of numbers to convert.                                       |
| <code>tz</code>     | A string of the time zone.  |
| <code>modern</code> | A flag specifying whether to use the modern or old Excel date system. |
| <code>...</code>    | Unused.   |

## Details

Defaults to the modern Excel date encoding system. Excel for Mac 2008 and earlier Mac versions of Excel use a different date system. If the date 2016-01-01 is represented by 42370, it's the modern system. If it's 40908, it's the old system.

## Value

A floored POSIXct vector.

## Examples

```
dtt_excel_to_date_time(42370.1234)
dtt_excel_to_date_time(c(1000.1145, 43397.84578))
dtt_excel_to_date_time(45324.1234, tz = "UTC")
dtt_excel_to_date_time(42370.1234, modern = FALSE)
```

---

|                 |                                 |
|-----------------|---------------------------------|
| dtt_feb29_to_28 | <i>Convert Feb 29 to Feb 28</i> |
|-----------------|---------------------------------|

---

**Description**

Converts Feb 29 to Feb 28th

**Usage**

```
dtt_feb29_to_28(x)
```

**Arguments**

x                    A Date or POSIXct vector.

**Value**

The modified Date or POSIXct vector.

**See Also**

Other leap year: [dtt\\_leap\\_year\(\)](#)

**Examples**

```
dtt_feb29_to_28(as.Date("2004-02-29"))
```

---

|           |                        |
|-----------|------------------------|
| dtt_floor | <i>Floor Date/Time</i> |
|-----------|------------------------|

---

**Description**

Floors a date/time vector

**Usage**

```
dtt_floor(x, units, ...)
```

```
## S3 method for class 'Date'  
dtt_floor(x, units = "days", ...)
```

```
## S3 method for class 'POSIXct'  
dtt_floor(x, units = "seconds", ...)
```

```
## S3 method for class 'hms'  
dtt_floor(x, units = "seconds", ...)
```

**Arguments**

|       |  |
|-------|--|
| x     | A date/time vector.  |
| units | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| ...   | Unused.  |

**Value**

The floored date/time vector.

**Methods (by class)**

- `dtt_floor(Date)`: Floor a Date vector
- `dtt_floor(POSIXct)`: Floor a POSIXct vector
- `dtt_floor(hms)`: Floor a hms vector

**See Also**

Other floor: [dtt\\_date\\_time\(\)](#), [dtt\\_date\(\)](#), [dtt\\_excel\\_to\\_date\(\)](#), [dtt\\_floored\(\)](#), [dtt\\_set\\_time\(\)](#)

**Examples**

```
dtt_floor(hms::as_hms("23:59:59"), "hours")
```

---

dtt\_floored

*Test Floored*

---

**Description**

Test whether a date time vector is floored.

**Usage**

```
dtt_floored(x, ...)
```

```
## S3 method for class 'Date'
dtt_floored(x, units = "days", ...)
```

```
## S3 method for class 'POSIXct'
dtt_floored(x, units = "seconds", ...)
```

```
## S3 method for class 'hms'
dtt_floored(x, units = "seconds", ...)
```

**Arguments**

|       |  |
|-------|--|
| x     | A Date, POSIXct or hms vector.   |
| ...   | Unused.  |
| units | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |

**Value**

A flag indicating whether floored.

**Methods (by class)**

- `dtt_floored(Date)`: Test if Date vector is floored
- `dtt_floored(POSIXct)`: Test if POSIXct vector is floored
- `dtt_floored(hms)`: Test if hms vector is floored

**See Also**

Other floor: `dtt_date_time()`, `dtt_date()`, `dtt_excel_to_date()`, `dtt_floor()`, `dtt_set_time()`

**Examples**

```
dtt_floored(as.Date("2002-02-01"))
```

---

dtt\_hours

*Get and Set Hour Values*


---

**Description**

Gets and sets hour values for date/time vectors.

**Usage**

```
dtt_hours(x, ...)
```

```
dtt_hours(x) <- value
```

```
dtt_hour(x, ...)
```

```
dtt_hour(x) <- value
```

```
## S3 method for class 'Date'
dtt_hour(x, ...)
```

```
## S3 method for class 'POSIXct'
dtt_hour(x, ...)
```

```
## S3 method for class 'hms'  
dtt_hour(x, ...)  
  
## S3 replacement method for class 'POSIXct'  
dtt_hour(x) <- value  
  
## S3 replacement method for class 'hms'  
dtt_hour(x) <- value  
  
dtt_set_hour(x, value)
```

### Arguments

|       |  |
|-------|--|
| x     | A date/time vector.                    |
| ...   | Unused.                                |
| value | A integer vector of the hour value(s). |

### Value

An integer vector (or the modified date/time vector).

### Methods (by class)

- `dtt_hour(Date)`: Get integer vector of hour values for a Date vector
- `dtt_hour(POSIXct)`: Get integer vector of hour values for a POSIXct vector
- `dtt_hour(hms)`: Get integer vector of hour values for a hms vector

### Functions

- `dtt_hour(POSIXct) <- value`: Set hour values for a POSIXct vector
- `dtt_hour(hms) <- value`: Set hour values for a hms vector

### See Also

[dtt\\_hour\\_decimal\(\)](#)

Other set time: [dtt\\_minutes\(\)](#), [dtt\\_seconds\(\)](#)

### Examples

```
x <- as.POSIXct("1990-01-02 23:40:51")  
dtt_hour(x)  
dtt_hour(x) <- 01L  
x  
  
x <- hms::as_hms("23:40:51")  
dtt_hour(x)  
dtt_hour(x) <- 01L  
x
```



---

|                  |                                |
|------------------|--------------------------------|
| dtt_hour_decimal | <i>Get Decimal Hour Values</i> |
|------------------|--------------------------------|

---

## Description

Gets decimal hour values for date/time vectors.

## Usage

```
dtt_hour_decimal(x, ...)  
  
## S3 method for class 'Date'  
dtt_hour_decimal(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_hour_decimal(x, ...)  
  
## S3 method for class 'hms'  
dtt_hour_decimal(x, ...)
```

## Arguments

|     |                     |
|-----|---------------------|
| x   | A date/time vector. |
| ... | Unused.             |

## Value

A numeric vector.

## Methods (by class)

- `dtt_hour_decimal(Date)`: Get numeric vector of decimal hour values for a Date vector
- `dtt_hour_decimal(POSIXct)`: Get numeric vector of decimal hour values for a POSIXct vector
- `dtt_hour_decimal(hms)`: Get numeric vector of decimal hour values for a hms vector

## See Also

[dtt\\_hour\(\)](#)

Other decimal: [dtt\\_day\\_decimal\(\)](#), [dtt\\_doy\\_decimal\(\)](#), [dtt\\_minute\\_decimal\(\)](#), [dtt\\_month\\_decimal\(\)](#), [dtt\\_year\\_decimal\(\)](#)

## Examples

```
x <- as.POSIXct("1990-01-02 23:40:51")  
dtt_hour_decimal(x)  
x <- hms::as_hms("23:40:51")  
dtt_hour_decimal(x)
```

---

|             |                |
|-------------|----------------|
| dtt_is_date | <i>Is Date</i> |
|-------------|----------------|

---

**Description**

Is Date

**Usage**

```
dtt_is_date(x)
```

**Arguments**

x                    An R object.

**Value**

A flag indicating whether R is a Date vector.

**See Also**

Other is: [dtt\\_is\\_date\\_time\(\)](#), [is\\_date\\_time\(\)](#)

---

|                  |                     |
|------------------|---------------------|
| dtt_is_date_time | <i>Is Date Time</i> |
|------------------|---------------------|

---

**Description**

Is Date Time

**Usage**

```
dtt_is_date_time(x)
```

**Arguments**

x                    An R object.

**Value**

A flag indicating whether R is a POSIXct vector.

**See Also**

Other is: [dtt\\_is\\_date\(\)](#), [is\\_date\\_time\(\)](#)

---

|            |                                   |
|------------|-----------------------------------|
| dtt_is_dtt | <i>Is Date or DateTime Object</i> |
|------------|-----------------------------------|

---

**Description**

Is Date or DateTime Object

**Usage**

```
dtt_is_dtt(x)
```

**Arguments**

x                    An R object.

**Value**

A flag indicating whether R is a Date or POSIXct vector.

---

|               |                           |
|---------------|---------------------------|
| dtt_leap_year | <i>Test for Leap Year</i> |
|---------------|---------------------------|

---

**Description**

Tests whether each year is a leap year.

**Usage**

```
dtt_leap_year(x)
```

**Arguments**

x                    A date/time vector.

**Value**

A logical vector indicating whether each year is a leap year.

**See Also**

Other leap year: [dtt\\_feb29\\_to\\_28\(\)](#)

**Examples**

```
dtt_leap_year(as.Date("1999-03-04", "2000-02-01"))
```

---

`dtt_minutes`*Get and Set Minute Values*

---

**Description**

Gets and sets minute values for date/time vectors.

**Usage**

```
dtt_minutes(x, ...)  
  
dtt_minutes(x) <- value  
  
dtt_minute(x, ...)  
  
dtt_minute(x) <- value  
  
## S3 method for class 'Date'  
dtt_minute(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_minute(x, ...)  
  
## S3 method for class 'hms'  
dtt_minute(x, ...)  
  
## S3 replacement method for class 'POSIXct'  
dtt_minute(x) <- value  
  
## S3 replacement method for class 'hms'  
dtt_minute(x) <- value  
  
dtt_set_minute(x, value)
```

**Arguments**

|                    |  |
|--------------------|--|
| <code>x</code>     | A date/time vector.                      |
| <code>...</code>   | Unused.                                  |
| <code>value</code> | A integer vector of the minute value(s). |

**Value**

An integer vector (or the modified date/time vector).

**Methods (by class)**

- `dtt_minute(Date)`: Get integer vector of minute values for a Date vector
- `dtt_minute(POSIXct)`: Get integer vector of minute values for a POSIXct vector
- `dtt_minute(hms)`: Get integer vector of minute values for a hms vector

**Functions**

- `dtt_minute(POSIXct) <- value`: Set minute values for a POSIXct vector
- `dtt_minute(hms) <- value`: Set minute values for a hms vector

**See Also**

[dtt\\_minute\\_decimal\(\)](#)

Other set time: [dtt\\_hours\(\)](#), [dtt\\_seconds\(\)](#)

**Examples**

```
x <- as.POSIXct("1990-01-02 23:40:51")
dtt_minute(x)
dtt_minute(x) <- 27L
x
```

```
x <- hms::as_hms("23:40:51")
dtt_minute(x)
dtt_minute(x) <- 27L
x
```

---

`dtt_minute_decimal`      *Get Decimal Minute Values*

---

**Description**

Gets decimal minute values for date/time vectors.

**Usage**

```
dtt_minute_decimal(x, ...)
```

```
## S3 method for class 'Date'
dtt_minute_decimal(x, ...)
```

```
## S3 method for class 'POSIXct'
dtt_minute_decimal(x, ...)
```

```
## S3 method for class 'hms'
dtt_minute_decimal(x, ...)
```

**Arguments**

x                    A date/time vector.  
 ...                  Unused.

**Value**

A numeric vector.

**Methods (by class)**

- `dtt_minute_decimal(Date)`: Get numeric vector of decimal minute values for a Date vector
- `dtt_minute_decimal(POSIXct)`: Get numeric vector of decimal minute values for a POSIXct vector
- `dtt_minute_decimal(hms)`: Get numeric vector of decimal minute values for a hms vector

**See Also**

[dtt\\_minute\(\)](#)

Other decimal: [dtt\\_day\\_decimal\(\)](#), [dtt\\_doy\\_decimal\(\)](#), [dtt\\_hour\\_decimal\(\)](#), [dtt\\_month\\_decimal\(\)](#), [dtt\\_year\\_decimal\(\)](#)

**Examples**

```
x <- as.POSIXct("1990-01-02 23:40:51")
dtt_minute_decimal(x)
x <- hms::as_hms("23:40:51")
dtt_minute_decimal(x)
```

---

dtt\_months

*Get and Set Month Values*

---

**Description**

Gets and sets month values for date/time vectors.

**Usage**

```
dtt_months(x, ...)
```

```
dtt_months(x) <- value
```

```
dtt_month(x, ...)
```

```
dtt_month(x) <- value
```

```
## S3 method for class 'Date'
```

```
dtt_month(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_month(x, ...)  
  
## S3 replacement method for class 'Date'  
dtt_month(x) <- value  
  
## S3 replacement method for class 'POSIXct'  
dtt_month(x) <- value  
  
dtt_set_month(x, value)
```

### Arguments

|       |   |
|-------|---|
| x     | A date/time vector.                     |
| ...   | Unused.                                 |
| value | A integer vector of the month value(s). |

### Value

An integer vector (or the modified date/time vector).

### Methods (by class)

- `dtt_month(Date)`: Get integer vector of month values for a Date vector
- `dtt_month(POSIXct)`: Get integer vector of month values for a POSIXct vector

### Functions

- `dtt_month(Date) <- value`: Set month values for a Date vector
- `dtt_month(POSIXct) <- value`: Set month values for a POSIXct vector

### See Also

[dtt\\_month\\_decimal\(\)](#)

Other set date: [dtt\\_day\(\)](#), [dtt\\_years\(\)](#)

### Examples

```
x <- as.Date("1990-01-02")  
dtt_month(x)  
dtt_month(x) <- 11L  
x  
  
x <- as.POSIXct("1990-01-02 23:40:51")  
dtt_month(x)  
dtt_month(x) <- 11L  
x
```

---

dtt\_month\_decimal      *Get Decimal Month Values*

---

### Description

Gets decimal month values for date/time vectors.

### Usage

```
dtt_month_decimal(x, ...)  
  
## S3 method for class 'Date'  
dtt_month_decimal(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_month_decimal(x, ...)
```

### Arguments

|     |                     |
|-----|---------------------|
| x   | A date/time vector. |
| ... | Unused.             |

### Value

A numeric vector.

### Methods (by class)

- `dtt_month_decimal(Date)`: Get numeric vector of decimal year values for a Date vector
- `dtt_month_decimal(POSIXct)`: Get numeric vector of decimal year values for a POSIXct vector

### See Also

[dtt\\_month\(\)](#)

Other decimal: [dtt\\_day\\_decimal\(\)](#), [dtt\\_doy\\_decimal\(\)](#), [dtt\\_hour\\_decimal\(\)](#), [dtt\\_minute\\_decimal\(\)](#), [dtt\\_year\\_decimal\(\)](#)

### Examples

```
x <- as.POSIXct("1990-01-03 10:00:01")  
dtt_month_decimal(x)
```



---

|            |               |
|------------|---------------|
| dtt_season | <i>Season</i> |
|------------|---------------|

---

### Description

Returns a factor of the user specified seasons.

### Usage

```
dtt_season(
  x,
  start = c(Spring = 3L, Summer = 6L, Autumn = 9L, Winter = 12L),
  first = NULL
)
```

### Arguments

|       |   |
|-------|---|
| x     | A Date or POSIXct vector  |
| start | A uniquely named integer vector of the first month of each season or a uniquely named Date vector of the first date of each season. |
| first | A string of the name of first season or NULL in which case the first season is that which includes Jan 1st.                         |

### Details

If the first month of the first season isn't January (1L), then the last season is considered to wrap into the following year.

### Value

A factor of the seasons.

### Examples

```
dates <- as.Date(c("2001-01-01", "2001-02-28", "2012-09-01", "2012-12-01"))
dtt_season(dates)
dtt_season(dates, start = c(Monsoon = 2L, `Dry Period` = 6L))
dtt_season(
  dates,
  start = c(First = dtt_date("2000-01-01"), Second = dtt_date("2000-06-01"))
)
```

---

`dtt_seconds`*Get and Set Second Values*

---

**Description**

Gets and sets second values for date/time vectors.

**Usage**

```
dtt_seconds(x, ...)  
  
dtt_seconds(x) <- value  
  
dtt_second(x, ...)  
  
dtt_second(x) <- value  
  
## S3 method for class 'Date'  
dtt_second(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_second(x, ...)  
  
## S3 method for class 'hms'  
dtt_second(x, ...)  
  
## S3 replacement method for class 'POSIXct'  
dtt_second(x) <- value  
  
## S3 replacement method for class 'hms'  
dtt_second(x) <- value  
  
dtt_set_second(x, value)
```

**Arguments**

|                    |  |
|--------------------|--|
| <code>x</code>     | A date/time vector.                      |
| <code>...</code>   | Unused.                                  |
| <code>value</code> | A integer vector of the second value(s). |

**Value**

An integer vector (or the modified date/time vector).

**Methods (by class)**

- `dtt_second(Date)`: Get integer vector of second values for a Date vector
- `dtt_second(POSIXct)`: Get integer vector of second values for a POSIXct vector
- `dtt_second(hms)`: Get integer vector of second values for a time vector

**Functions**

- `dtt_second(POSIXct) <- value`: Set second values for a POSIXct vector
- `dtt_second(hms) <- value`: Set second values for a hms vector

**See Also**

Other set time: [dtt\\_hours\(\)](#), [dtt\\_minutes\(\)](#)

**Examples**

```
x <- as.POSIXct("1990-01-02 23:40:51")
dtt_second(x)
dtt_second(x) <- 27L
x
```

```
x <- hms::as_hms("23:40:51")
dtt_second(x)
dtt_second(x) <- 27L
x
```

---

dtt\_seq

*Sequence*


---

**Description**

Creates a date/time sequence vector. `from` and `to` are first floored and then a sequence is created by units. If `length_out` is defined then that number of units are added to `from`.

**Usage**

```
dtt_seq(from, to, units, length_out = NULL, ...)
```

```
## S3 method for class 'Date'
```

```
dtt_seq(from, to = from, units = "days", length_out = NULL, ...)
```

```
## S3 method for class 'POSIXct'
```

```
dtt_seq(from, to = from, units = "seconds", length_out = NULL, ...)
```

```
## S3 method for class 'hms'
```

```
dtt_seq(
  from,
```

```

    to = from,
    units = "seconds",
    length_out = NULL,
    wrap = TRUE,
    ...
  )

```

### Arguments

|            |  |
|------------|--|
| from       | A date/time scalar of the start.   |
| to         | A date/time scalar of the end.   |
| units      | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| length_out | An integer of the number of units from from.   |
| ...        | Unused.  |
| wrap       | A flag specifying whether to wrap hms vectors from 23:59:59 to 00:00:00                            |

### Value

The date/time vector.

### Methods (by class)

- `dtt_seq(Date)`: Create a Date sequence vector
- `dtt_seq(POSIXct)`: Create a POSIXct sequence vector
- `dtt_seq(hms)`: Create a hms sequence vector

### Examples

```
dtt_seq(as.Date("2001-01-01"), as.Date("2001-01-05"))
```

---

|              |                   |
|--------------|-------------------|
| dtt_set_time | <i>Floor Time</i> |
|--------------|-------------------|

---

### Description

Coerces vectors to floored (and wrapped) hms vectors.

### Usage

```
dtt_set_time(x, value)
```

```
dtt_time(x, ...)
```

```
dtt_time(x) <- value
```

```
## S3 method for class 'integer'  
dtt_time(x, ...)  
  
## S3 method for class 'double'  
dtt_time(x, ...)  
  
## S3 method for class 'character'  
dtt_time(x, ...)  
  
## S3 method for class 'Date'  
dtt_time(x, ...)  
  
## S3 method for class 'hms'  
dtt_time(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_time(x, ...)  
  
## S3 method for class 'POSIXlt'  
dtt_time(x, ...)  
  
## S3 replacement method for class 'Date'  
dtt_time(x) <- value  
  
## S3 replacement method for class 'POSIXct'  
dtt_time(x) <- value
```

### Arguments

|       |                |
|-------|----------------|
| x     | A vector.      |
| value | A time vector. |
| ...   | Unused.        |

### Value

A floored hms vector.

### Methods (by class)

- `dtt_time(integer)`: Coerce integer vector to a floored hms vector
- `dtt_time(double)`: Coerce double vector to a floored hms vector
- `dtt_time(character)`: Coerce character vector to a floored hms vector
- `dtt_time(Date)`: Coerce Date vector to a floored hms vector
- `dtt_time(hms)`: Coerce hms vector to a floored hms vector
- `dtt_time(POSIXct)`: Coerce POSIXct vector to a floored hms vector
- `dtt_time(POSIXlt)`: Coerce POSIXlt vector to a floored hms vector

**Functions**

- `dtt_time(Date) <- value`: Set time values for a Date vector
- `dtt_time(POSIXct) <- value`: Set time values for a POSIXct vector

**See Also**

Other floor: [dtt\\_date\\_time\(\)](#), [dtt\\_date\(\)](#), [dtt\\_excel\\_to\\_date\(\)](#), [dtt\\_floored\(\)](#), [dtt\\_floor\(\)](#)

**Examples**

```
dtt_time(1L)
dtt_time(1.999)
dtt_time(-0.001)
dtt_time(Sys.Date())
dtt_time(as.POSIXct("2001-01-01 02:30:40"))
dtt_time(as.POSIXct("2001-01-01 02:30:40", tz = "Etc/GMT-8"))
```

---

dtt\_set\_tz

*Set Time Zone*


---

**Description**

Sets the time zone for a date time vector without adjusting the clock time. Equivalent to `lubridate::force_tz()`.

**Usage**

```
dtt_set_tz(x, tz = dtt_default_tz(), ...)
```

```
## S3 method for class 'POSIXct'
dtt_set_tz(x, tz = dtt_default_tz(), ...)
```

**Arguments**

|                  |                                |
|------------------|--------------------------------|
| <code>x</code>   | A date/time vector.            |
| <code>tz</code>  | A string of the new time zone. |
| <code>...</code> | Unused.                        |

**Value**

The date time vector with the new time zone.

**Methods (by class)**

- `dtt_set_tz(POSIXct)`: Set the time zone for a POSIXct vector

**See Also**[dtt\\_adjust\\_tz\(\)](#)Other tz: [dtt\\_adjust\\_tz\(\)](#), [dtt\\_sys\\_tz\(\)](#), [dtt\\_tz\(\)](#)**Examples**

```
dtt_set_tz(as.POSIXct("1970-01-01", tz = "Etc/GMT+8"), tz = "UTC")
```

---

|                |                   |
|----------------|-------------------|
| dtt_study_year | <i>Study Year</i> |
|----------------|-------------------|

---

**Description**

Study Year

**Usage**

```
dtt_study_year(x, start = 1L, full = TRUE)
```

**Arguments**

|       |  |
|-------|--|
| x     | A Date or POSIXct vector.  |
| start | An integer vector of the starting month or a Date vector of the starting date.                                     |
| full  | A flag specifying whether to return a character vector of the study years (or an integer vector of the first year) |

**Value**

A character vector of the study year or an integer vector of the first year.

**Examples**

```
dtt_study_year(
  as.Date(c("2000-03-31", "2000-04-01", "2001-04-01")),
  start = 4L
)
dtt_study_year(
  as.Date(c("2000-03-31", "2000-04-01", "2001-04-01")),
  start = 4L,
  full = FALSE
)
```

---

dtt\_subtract\_units      *Subtract Time Units*

---

### Description

Subtract time units from a date time vector.

### Usage

```
dtt_subtract_units(x, n = 1L, units = dtt_units(x))
```

```
dtt_subtract_years(x, n = 1L)
```

```
dtt_subtract_months(x, n = 1L)
```

```
dtt_subtract_days(x, n = 1L)
```

```
dtt_subtract_hours(x, n = 1L)
```

```
dtt_subtract_minutes(x, n = 1L)
```

```
dtt_subtract_seconds(x, n = 1L)
```

### Arguments

|       |  |
|-------|--|
| x     | A date/time vector.  |
| n     | An integer of the number of units.   |
| units | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |

### Value

The modified date time vector.

### See Also

[dtt\\_add\\_units\(\)](#)

### Examples

```
dtt_subtract_units(as.Date("1999-12-31"), 2L, "days")
```



---

|              |                        |
|--------------|------------------------|
| dtt_sys_date | <i>Get System Date</i> |
|--------------|------------------------|

---

**Description**

Get System Date

**Usage**

```
dtt_sys_date(tz = dtt_default_tz())
```

**Arguments**

tz                    A string of the time zone.

**Value**

A floored Date scalar.

**See Also**

Other sys: [dtt\\_sys\\_date\\_time\(\)](#), [dtt\\_sys\\_time\(\)](#)

**Examples**

```
## Not run:  
dtt_set_default_tz("Etc/GMT+12")  
dtt_sys_date()  
dtt_set_default_tz("Etc/GMT-12")  
dtt_sys_date()  
dtt_sys_date(tz = "Etc/GMT+12")  
  
## End(Not run)
```

---

|                   |                             |
|-------------------|-----------------------------|
| dtt_sys_date_time | <i>Get System Date Time</i> |
|-------------------|-----------------------------|

---

**Description**

Get System Date Time

**Usage**

```
dtt_sys_date_time(tz = dtt_default_tz())
```

**Arguments**

tz                    A string of the time zone.

**Value**

A floored POSIXct scalar.

**See Also**

Other sys: [dtt\\_sys\\_date\(\)](#), [dtt\\_sys\\_time\(\)](#)

**Examples**

```
## Not run:
dtt_set_default_tz("UTC")
dtt_sys_date_time()
dtt_set_default_tz("Etc/GMT+8")
dtt_sys_date_time()
dtt_sys_date_time(tz = "UTC")

## End(Not run)
```

---

dtt\_sys\_time

*Get System Time*

---

**Description**

Get System Time

**Usage**

```
dtt_sys_time(tz = dtt_default_tz())
```

**Arguments**

tz                    A string of the time zone.

**Value**

A floored hms scalar.

**See Also**

Other sys: [dtt\\_sys\\_date\\_time\(\)](#), [dtt\\_sys\\_date\(\)](#)

**Examples**

```
## Not run:  
dtl_sys_time()  
  
## End(Not run)
```

---

dtl\_sys\_tz

*Get, Set or Reset Default Time Zone*

---

**Description**

Get, Set or Reset Default Time Zone

**Usage**

```
dtl_sys_tz()  
  
dtl_set_sys_tz(tz = NULL)  
  
dtl_reset_sys_tz()  
  
dtl_default_tz()  
  
dtl_set_default_tz(tz = NULL)  
  
dtl_reset_default_tz()
```

**Arguments**

tz                   A string of the time zone.

**Value**

A string of the current or old time zone.

**Functions**

- dtl\_set\_default\_tz(): Set Default Time Zone
- dtl\_reset\_default\_tz(): Reset Default Time Zone

**See Also**

Other tz: [dtl\\_adjust\\_tz\(\)](#), [dtl\\_set\\_tz\(\)](#), [dtl\\_tz\(\)](#)

## Examples

```
## Not run:
dtt_default_tz()
old <- dtt_set_default_tz("Etc/GMT+8")
dtt_default_tz()
dtt_reset_default_tz()
dtt_default_tz()
dtt_set_default_tz(old)
dtt_default_tz()

## End(Not run)
```

---

dtt\_time\_from\_ints      *Create Time from Vectors*

---

## Description

Pass vectors of hour, minute and second values to create a time object.

## Usage

```
dtt_time_from_ints(hour = 0L, minute = 0L, second = 0L)
```

## Arguments

|        |   |
|--------|---|
| hour   | An integer of the hour between 0 and 23. The default value is hour zero.    |
| minute | An integer of the minute between 0 to 59. The default value is minute zero. |
| second | An integer of the second between 0 to 59. The default value is second zero. |

## Details

This can be very helpful when needing to create a time column in a data frame from hour, minute and second columns. Vectors must all be the same length or be of length one.

## Value

A floored hms vector.

## See Also

Other creates: [dtt\\_date\\_from\\_ints\(\)](#), [dtt\\_date\\_time\\_from\\_ints\(\)](#)

**Examples**

```
dtl_time_from_ints()

dtl_time_from_ints(
  hour = 10,
  minute = 15,
  second = 30
)

dtl_time_from_ints(
  hour = c(10, 11),
  minute = c(15, 15),
  second = c(30, 0)
)

hour <- c(9, 10, 11)
minute <- c(15, 30, 45)
second <- 0
dtl_time_from_ints(hour, minute, second)
```

---

dtl\_tz

*Get, Set or Adjust Time Zone*

---

**Description**

Gets, sets or the time zone for a date time vector.

**Usage**

```
dtl_tz(x, ...)
```

## S3 method for class 'POSIXct'

```
dtl_tz(x, ...)
```

**Arguments**

x                    A date/time vector.  
...                    Unused.

**Value**

A string of the time zone.

**Methods (by class)**

- `dtl_tz(POSIXct)`: Get the time zone for a POSIXct vector.

**See Also**

Other tz: [dtt\\_adjust\\_tz\(\)](#), [dtt\\_set\\_tz\(\)](#), [dtt\\_sys\\_tz\(\)](#)

**Examples**

```
dtt_tz(as.POSIXct("1970-01-01", tz = "Etc/GMT+8"))
```

---

dtt\_units

*Get Units*


---

**Description**

Gets the smallest units for a date time vector. The possible values are 'seconds', 'minutes', 'hours', 'days', 'months' or 'years'.

**Usage**

```
dtt_units(x, ...)

## S3 method for class 'Date'
dtt_units(x, ...)

## S3 method for class 'POSIXct'
dtt_units(x, ...)

## S3 method for class 'hms'
dtt_units(x, ...)
```

**Arguments**

x                    A Date, POSIXct or hms vector.  
...                    Unused.

**Value**

A string indicating the date time units.

**Methods (by class)**

- `dtt_units(Date)`: Get time units for a Date vector
- `dtt_units(POSIXct)`: Get time units for a POSIXct vector
- `dtt_units(hms)`: Get time units for a hms vector

**See Also**

Other units: [dtt\\_adjust\\_units\(\)](#), [dtt\\_units\\_per\\_unit\(\)](#)

**Examples**

```
dtt_units(as.Date("2000-01-01"))
dtt_units(as.Date("2000-02-01"))
dtt_units(as.Date("2000-01-02"))
```

---

|                    |                       |
|--------------------|-----------------------|
| dtt_units_per_unit | <i>Units per Unit</i> |
|--------------------|-----------------------|

---

**Description**

Units per Unit

**Usage**

```
dtt_units_per_unit(units = "seconds", unit = "days")
```

**Arguments**

|       |  |
|-------|--|
| units | A string of the time units. The possible values are "secs", "minutes", "hours", "days" or "weeks". |
| unit  | A string of the time unit.   |

**Value**

A number of the units per unit

**See Also**

Other units: [dtt\\_adjust\\_units\(\)](#), [dtt\\_units\(\)](#)

**Examples**

```
dtt_units_per_unit("hours")
```

---

|          |                     |
|----------|---------------------|
| dtt_wday | <i>Get Week Day</i> |
|----------|---------------------|

---

**Description**

Gets the week days for the locale.

**Usage**

```
dtt_wday(x, abbr = FALSE, ...)
```

```
## Default S3 method:
```

```
dtt_wday(x, abbr = FALSE, ...)
```

**Arguments**

x                    A date/time vector.  
 abbr                A flag specifying whether to abbreviate the week days.  
 ...                 Unused.

**Value**

An character vector of the week days.

**Methods (by class)**

- `dtt_wday(default)`: Get character vector of week days for a Date vector

**Examples**

```
x <- as.Date("1990-01-02")
dtt_wday(x)

x <- as.POSIXct("1990-01-02 23:40:51")
dtt_wday(x, abbr = TRUE)
```

---

dtt\_wrap

*Wrap*


---

**Description**

Wrap

**Usage**

```
dtt_wrap(x, ...)
```

**Arguments**

x                    A date/time vector.  
 ...                 Unused.

**Examples**

```
dtt_wrap(hms::as_hms("24:00:00"))
```



---

`dtt_years`*Get and Set Year Values*

---

**Description**

Gets and sets year values for date/time vectors.

**Usage**

```
dtt_years(x, ...)  
  
dtt_years(x) <- value  
  
dtt_set_year(x, value)  
  
dtt_year(x, ...)  
  
dtt_year(x) <- value  
  
## S3 method for class 'Date'  
dtt_year(x, ...)  
  
## S3 method for class 'POSIXct'  
dtt_year(x, ...)  
  
## S3 replacement method for class 'Date'  
dtt_year(x) <- value  
  
## S3 replacement method for class 'POSIXct'  
dtt_year(x) <- value
```

**Arguments**

|                    |  |
|--------------------|--|
| <code>x</code>     | A date/time vector.                    |
| <code>...</code>   | Unused.                                |
| <code>value</code> | A integer vector of the year value(s). |

**Value**

An integer vector (or the modified date/time vector).

**Methods (by class)**

- `dtt_year(Date)`: Get integer vector of year values for a Date vector
- `dtt_year(POSIXct)`: Get integer vector of year values for a POSIXct vector

**Functions**

- `dtt_year(Date) <- value`: Set year values for a Date vector
- `dtt_year(POSIXct) <- value`: Set year values for a POSIXct vector

**See Also**

[dtt\\_year\\_decimal\(\)](#)

Other set date: [dtt\\_day\(\)](#), [dtt\\_months\(\)](#)

**Examples**

```
x <- as.Date("1990-01-02")
dtt_year(x)
dtt_year(x) <- 11L
x

x <- as.POSIXct("1990-01-02 23:40:51")
dtt_year(x)
dtt_year(x) <- 2022L
x
```

---

`dtt_year_decimal`      *Get Decimal Year Values*

---

**Description**

Gets decimal year values for date/time vectors.

**Usage**

```
dtt_year_decimal(x, ...)
```

## S3 method for class 'Date'  
`dtt_year_decimal(x, ...)`

## S3 method for class 'POSIXct'  
`dtt_year_decimal(x, ...)`

**Arguments**

`x`                    A date/time vector.

`...`                 Unused.

**Value**

A numeric vector.

**Methods (by class)**

- `dtc_year_decimal(Date)`: Get numeric vector of decimal year values for a Date vector
- `dtc_year_decimal(POSIXct)`: Get numeric vector of decimal year values for a POSIXct vector

**See Also**

[dtc\\_year\(\)](#)

Other decimal: [dtc\\_day\\_decimal\(\)](#), [dtc\\_doy\\_decimal\(\)](#), [dtc\\_hour\\_decimal\(\)](#), [dtc\\_minute\\_decimal\(\)](#), [dtc\\_month\\_decimal\(\)](#)

**Examples**

```
x <- as.Date("1990-01-02")
dtc_year_decimal(x)
```

---

|              |                     |
|--------------|---------------------|
| is_date_time | <i>Is Date/Time</i> |
|--------------|---------------------|

---

**Description**

Tests whether an object is a Date, POSIXct, or hms vector.

**Usage**

```
is.POSIXct(x)
is_date_time(x)
is.Date(x)
is_date(x)
is.hms(x)
is_time(x)
```

**Arguments**

x                    An object

**Value**

A flag indicating whether x inherits from Date, POSIXct or hms.

**See Also**

Other is: [dtc\\_is\\_date\\_time\(\)](#), [dtc\\_is\\_date\(\)](#)

---

|          |                     |
|----------|---------------------|
| NA_Date_ | <i>Missing Date</i> |
|----------|---------------------|

---

**Description**

A missing Date object

**Usage**

NA\_Date\_

**Format**

An object of class Date of length 1.

---

|         |                    |
|---------|--------------------|
| NA_hms_ | <i>Missing hms</i> |
|---------|--------------------|

---

**Description**

A missing hms object

**Usage**

NA\_hms\_

**Format**

An object of class hms (inherits from difftime) of length 1.

---

|             |                        |
|-------------|------------------------|
| NA_POSIXct_ | <i>Missing POSIXct</i> |
|-------------|------------------------|

---

**Description**

A missing POSIXct object

**Usage**

NA\_POSIXct\_

**Format**

An object of class POSIXct (inherits from POSIXt) of length 1.

---

`vld_time`*Validate Time*

---

**Description**

Validates that an object is scalar `hms::hms` object using `inherits(x, class) && length(x) == 1L && !anyNA(x)`.

**Usage**

```
vld_time(x)
```

**Arguments**

`x`                    The object to check.

**Value**

A flag indicating whether the condition was met.

**See Also**

[chk\\_time\(\)](#)

**Examples**

```
vld_time(1)
vld_time(hms::as_hms("10:12:59"))
```

# Index

- \* **NA**
    - NA\_POSIXct\_, 60
  - \* **add**
    - dtl\_add\_units, 5
    - dtl\_date\_add\_time, 13
  - \* **check**
    - check\_tz, 3
    - chk\_time, 4
  - \* **complete**
    - dtl\_complete, 8
    - dtl\_completed, 10
  - \* **creates**
    - dtl\_date\_from\_ints, 13
    - dtl\_date\_time\_from\_ints, 16
    - dtl\_time\_from\_ints, 52
  - \* **datasets**
    - NA\_Date\_, 60
    - NA\_hms\_, 60
    - NA\_POSIXct\_, 60
  - \* **days**
    - dtl\_days\_in\_month, 19
    - dtl\_days\_in\_year, 20
    - dtl\_doy, 25
    - dtl\_doy\_to\_date, 26
  - \* **dayte**
    - dtl\_dayte, 20
    - dtl\_dayte\_time, 21
    - dtl\_daytt, 22
  - \* **decimal**
    - dtl\_day\_decimal, 23
    - dtl\_doy\_decimal, 26
    - dtl\_hour\_decimal, 33
    - dtl\_minute\_decimal, 37
    - dtl\_month\_decimal, 40
    - dtl\_year\_decimal, 58
  - \* **floor**
    - dtl\_date, 11
    - dtl\_date\_time, 15
    - dtl\_excel\_to\_date, 27
    - dtl\_floor, 29
    - dtl\_floored, 30
    - dtl\_set\_time, 44
  - \* **is**
    - dtl\_is\_date, 34
    - dtl\_is\_date\_time, 34
    - is\_date\_time, 59
  - \* **leap year**
    - dtl\_feb29\_to\_28, 29
    - dtl\_leap\_year, 35
  - \* **set date**
    - dtl\_day, 17
    - dtl\_months, 38
    - dtl\_years, 57
  - \* **set time**
    - dtl\_hours, 31
    - dtl\_minutes, 36
    - dtl\_seconds, 42
  - \* **subtract**
    - dtl\_subtract\_units, 48
  - \* **sys**
    - dtl\_sys\_date, 49
    - dtl\_sys\_date\_time, 49
    - dtl\_sys\_time, 50
  - \* **tz**
    - dtl\_adjust\_tz, 6
    - dtl\_set\_tz, 46
    - dtl\_sys\_tz, 51
    - dtl\_tz, 53
  - \* **units**
    - dtl\_adjust\_units, 7
    - dtl\_units, 54
    - dtl\_units\_per\_unit, 55
- check\_tz, 3, 4  
chk\_time, 3, 4  
chk\_time(), 61
- dtl, 4  
dtl\_add\_days (dtl\_add\_units), 5

dtt\_add\_hours (dtt\_add\_units), 5  
 dtt\_add\_minutes (dtt\_add\_units), 5  
 dtt\_add\_months (dtt\_add\_units), 5  
 dtt\_add\_seconds (dtt\_add\_units), 5  
 dtt\_add\_units, 5, 13  
 dtt\_add\_units(), 7, 48  
 dtt\_add\_years (dtt\_add\_units), 5  
 dtt\_adjust\_tz, 6, 47, 51, 54  
 dtt\_adjust\_tz(), 47  
 dtt\_adjust\_units, 7, 54, 55  
 dtt\_aggregate, 7  
 dtt\_complete, 8, 11  
 dtt\_completed, 10, 10  
 dtt\_date, 11, 16, 27, 30, 31, 46  
 dtt\_date<- (dtt\_date), 11  
 dtt\_date\_add\_time, 5, 13  
 dtt\_date\_from\_ints, 13, 17, 52  
 dtt\_date\_time, 12, 15, 27, 30, 31, 46  
 dtt\_date\_time\_from\_ints, 14, 16, 52  
 dtt\_day, 17, 39, 58  
 dtt\_day(), 23  
 dtt\_day<- (dtt\_day), 17  
 dtt\_day\_decimal, 23, 26, 33, 38, 40, 59  
 dtt\_day\_decimal(), 19  
 dtt\_days (dtt\_day), 17  
 dtt\_days<- (dtt\_day), 17  
 dtt\_days\_in\_month, 19, 20, 25, 27  
 dtt\_days\_in\_year, 19, 20, 25, 27  
 dtt\_dayte, 20, 22  
 dtt\_dayte\_time, 21, 21, 22  
 dtt\_daytt, 21, 22, 22  
 dtt\_decade, 24  
 dtt\_default\_tz (dtt\_sys\_tz), 51  
 dtt\_diff, 24  
 dtt\_doy, 19, 20, 25, 27  
 dtt\_doy(), 26  
 dtt\_doy\_decimal, 23, 26, 33, 38, 40, 59  
 dtt\_doy\_decimal(), 25  
 dtt\_doy\_to\_date, 19, 20, 25, 26  
 dtt\_excel\_to\_date, 12, 16, 27, 30, 31, 46  
 dtt\_excel\_to\_date\_time, 28  
 dtt\_feb29\_to\_28, 29, 35  
 dtt\_floor, 12, 16, 27, 29, 31, 46  
 dtt\_floored, 12, 16, 27, 30, 30, 46  
 dtt\_hour (dtt\_hours), 31  
 dtt\_hour(), 33  
 dtt\_hour<- (dtt\_hours), 31  
 dtt\_hour\_decimal, 23, 26, 33, 38, 40, 59  
 dtt\_hour\_decimal(), 32  
 dtt\_hours, 31, 37, 43  
 dtt\_hours<- (dtt\_hours), 31  
 dtt\_is\_date, 34, 34, 59  
 dtt\_is\_date\_time, 34, 34, 59  
 dtt\_is\_dtt, 35  
 dtt\_leap\_year, 29, 35  
 dtt\_minute (dtt\_minutes), 36  
 dtt\_minute(), 38  
 dtt\_minute<- (dtt\_minutes), 36  
 dtt\_minute\_decimal, 23, 26, 33, 37, 40, 59  
 dtt\_minute\_decimal(), 37  
 dtt\_minutes, 32, 36, 43  
 dtt\_minutes<- (dtt\_minutes), 36  
 dtt\_month (dtt\_months), 38  
 dtt\_month(), 40  
 dtt\_month<- (dtt\_months), 38  
 dtt\_month\_decimal, 23, 26, 33, 38, 40, 59  
 dtt\_month\_decimal(), 39  
 dtt\_months, 19, 38, 58  
 dtt\_months<- (dtt\_months), 38  
 dtt\_reset\_default\_tz (dtt\_sys\_tz), 51  
 dtt\_reset\_sys\_tz (dtt\_sys\_tz), 51  
 dtt\_season, 41  
 dtt\_second (dtt\_seconds), 42  
 dtt\_second<- (dtt\_seconds), 42  
 dtt\_seconds, 32, 37, 42  
 dtt\_seconds<- (dtt\_seconds), 42  
 dtt\_seq, 43  
 dtt\_set\_date (dtt\_date), 11  
 dtt\_set\_day (dtt\_day), 17  
 dtt\_set\_default\_tz (dtt\_sys\_tz), 51  
 dtt\_set\_hour (dtt\_hours), 31  
 dtt\_set\_minute (dtt\_minutes), 36  
 dtt\_set\_month (dtt\_months), 38  
 dtt\_set\_second (dtt\_seconds), 42  
 dtt\_set\_sys\_tz (dtt\_sys\_tz), 51  
 dtt\_set\_time, 12, 16, 27, 30, 31, 44  
 dtt\_set\_tz, 6, 46, 51, 54  
 dtt\_set\_tz(), 6  
 dtt\_set\_year (dtt\_years), 57  
 dtt\_study\_year, 47  
 dtt\_subtract\_days (dtt\_subtract\_units),  
     48  
 dtt\_subtract\_hours  
     (dtt\_subtract\_units), 48  
 dtt\_subtract\_minutes  
     (dtt\_subtract\_units), 48

`dtl_subtract_months`  
    (`dtl_subtract_units`), 48  
`dtl_subtract_seconds`  
    (`dtl_subtract_units`), 48  
`dtl_subtract_units`, 48  
`dtl_subtract_units()`, 5, 7  
`dtl_subtract_years`  
    (`dtl_subtract_units`), 48  
`dtl_sys_date`, 49, 50  
`dtl_sys_date_time`, 49, 49, 50  
`dtl_sys_time`, 49, 50, 50  
`dtl_sys_tz`, 6, 47, 51, 54  
`dtl_time` (`dtl_set_time`), 44  
`dtl_time<-` (`dtl_set_time`), 44  
`dtl_time_from_ints`, 14, 17, 52  
`dtl_tz`, 6, 47, 51, 53  
`dtl_tz()`, 3  
`dtl_units`, 7, 54, 55  
`dtl_units_per_unit`, 7, 54, 55  
`dtl_wday`, 55  
`dtl_wrap`, 56  
`dtl_year` (`dtl_years`), 57  
`dtl_year()`, 59  
`dtl_year<-` (`dtl_years`), 57  
`dtl_year_decimal`, 23, 26, 33, 38, 40, 58  
`dtl_year_decimal()`, 58  
`dtl_years`, 19, 39, 57  
`dtl_years<-` (`dtl_years`), 57  
  
`hms::hms`, 61  
  
`is.Date` (`is_date_time`), 59  
`is.hms` (`is_date_time`), 59  
`is.POSIXct` (`is_date_time`), 59  
`is_date` (`is_date_time`), 59  
`is_date_time`, 34, 59  
`is_time` (`is_date_time`), 59  
  
`NA_Date_`, 60  
`NA_hms_`, 60  
`NA_POSIXct_`, 60  
  
`vld_time`, 61  
`vld_time()`, 4